




Rev. no	Revision note	Signature	Date	Approved
B	Modified 997982, 800911, and 995126, replaced 991013 with 998077, 980163 with 980162 and added 993046	NR	19-08-2014	FS

ITEM NO.	QTY.	Description	Drawing	Article no.
1	1	Fäste GF620 Vä KAB 600	43402	997982
2	1	Stödbricka_GF_Ratt	43001	994925
3	2	Stödpinne GF Ratt	43018	994924
4	2	Skruv MK6SF M5x25		997531
5	1	Distans	43019	994926
6	1	Skruv M8x25 MC6LS		990516
7	1	120mm Armflex Assy	43796	800911
8	2	Skruv M5x12 MF6S		993210
9	1	Led 4 A-Flex GF- Machined	43556	980770
10	1	Styrmutter 22,5x38 M8	80108	980161
11	1	Styrbricka 22,5x38	80107	980160
12	1	Bult M8x50 K6S		980162
13	1	Armpad LH	43541	995126
14	1	Vred M6x40		998077
15	4	MC6S M5X14		994004
16	3	Distans	140	990021
17	3	Insexskruv 10.9 MF6S M8x50		993029
18	1	Bricka 8,4x19x1,5		993046

Designed by VN	Checked by FS		Article no. 800929	Filename 43854	Date 2011-10-14	Scale 1:3
			Title GF 620 Vä 120 StoIM. - KAB 600			
			Drawing no. 43854		Revision B	Format A3

A

B

C

D

E

F

A


B

C

D

E


F



Toleranser för bearbetade ytor där ej annat anges SS-ISO 2768-mK.
Tolerances for machined surfaces where otherwise not stated SS-ISO 2768-mK.
Ytjämnhet där annat ej anges 12.5/
Smoothness where otherwise not stated
Ej måttatta konturer laserskäres.
Not dimensioned outlines to be laser cut.
Skarpa kanter brytna
Sharp edges broken

Designed by
VN

Checked by
FS



Article no.
800929

Filename
43854

Date
2011-10-14

Scale
1:2

Title
GF 620 Vä 120 Stölm. - KAB 600

Drawing no.
43854

Revision
B

Format
A3

Sheet
3 (3)

SQUAB